



### ISRI® 6860/875 including Swivel (BUS SEAT)

- **Location of controls:** LH
- **Lumbar Support:** IPS
- **Slide Adjustment:** 230mm
- **Height Adjustment:** 100mm Air
- **Shock Absorber:** Adjustable
- **Seat Belt:** 3 Point Integrated
- **Stack Height:** Refer drawing
- **Mounting Hole Centres:** 216 x 298/358
- **Swivel**



### ISRI® 6860/875

- **Lumbar Support:** IPS
- **Slide Adjustment:** 230mm
- **Height Adjustment:** 100mm Air
- **Shock Absorber:** Adjustable
- **Seat Belt:** 3 Point Integrated
- **Stack Height:** See drawing
- **Mounting Hole Centres:** 216 x 298/358



### ISRI® 6500/517

- **Lumbar Support:** Air
- **Slide Adjustment:** 180mm
- **Height Adjustment:** 65mm Mechanical
- **Stack Height:** 230 to 295mm
- **Mounting Hole Centres:** 216 x 280/325



### ISRI® 6008/517

- **Lumbar Support:** Mechanical or Air
- **Slide Adjustment:** 180mm
- **Height Adjustment:** 65mm Mechanical
- **Stack Height:** 440 to 505mm
- **Mounting Hole Centres:** 8008 Pattern



### ISRI® 6000/517

- **Lumbar Support:** Air or Mechanical
- **Slide Adjustment:** 180mm
- **Height Adjustment:** 65mm Mechanical
- **Stack Height:** 270 to 335mm
- **Mounting Hole Centres:** 216 x 280/325



### ISRI® 6000/515

- **Lumbar Support:** Mechanical
- **Slide Adjustment:** 180mm
- **Height Adjustment:** 65mm Mechanical
- **Stack Height:** 230 to 295mm
- **Mounting Hole Centres:** 216 x 280/325



### ISRI®1000/517

- **Slide Adjustment:** 180mm
- **Height Adjustment:** 65mm Mechanical
- **Stack Height:** 175 to 240mm
- **Mounting Hole Centres:** 216 x 280/325mm



### ISRI® 1000/515

- **Slide Adjustment:** 180mm
- **Height Adjustment:** 65mm Mechanical
- **Stack Height:** 149 to 214mm
- **Mounting Hole Centres:** 200 x 280/325mm



### ISRI® 6860/875 Pro Truck

- **Lumbar Support:** IPS
- **Slide Adjustment:** 230mm
- **Height Adjustment:** 100mm Air
- **Shock Absorber:** Adjustable
- **Seat Belt:** 3 Point Integrated
- **Arm Rests**
- **Mounting Hole Centres:** 216 x 398/358



### ISRI® 6860/870 Pro

- **Lumbar Support:** IPS
- **Slide Adjustment:** 230mm
- **Height Adjustment:** 100mm Air
- **Shock Absorber:** Adjustable
- **Seat Belt:** 3 Point Integrated
- **Stack Height:** See drawing
- **Mounting Hole Centres:** 216 x 298/358



### ISRI® 6860/870

- **Lumbar Support:** IPS
- **Slide Adjustment:** 230mm
- **Height Adjustment:** 100mm Air
- **Shock Absorber:** Adjustable
- **Seat Belt:** 3 Point Integrated
- **Stack Height:** See drawing
- **Mounting Hole Centres:** 216 x 298/358



### ISRI® 6500/517 Pro

- **Lumbar Support:** IPS
- **Slide Adjustment:** 180mm
- **Height Adjustment:** 65mm Mechanical
- **Stack Height:** 250 to 315mm
- **Mounting Hole Centres:** 216 x 280/325



### ISRI® 6500/515

- **Lumbar Support:** Air
- **Slide Adjustment:** 180mm
- **Height Adjustment:** 65mm Mechanical
- **Stack Height:** 230 to 295mm
- **Mounting Hole Centres:** 216 x 280/325



### ISRI® 6830KM/875

- **Lumbar Support:** IPS
- **Slide Adjustment:** 230mm
- **Shock Absorber:** Adjustable
- **Seat Belt:** 3 Point Integrated
- **Compressor:** Built in 24 Volt or optional 12 Volt



### ISRI® 6830KM/870

- **Lumbar Support:** IPS
- **Slide Adjustment:** 230mm
- **Shock Absorber:** Adjustable
- **Seat Belt:** 3 Point Integrated
- **Compressor:** Built in 24 Volt or optional 12 Volt
- **Heater**

- 1000 = Static seat
- 6500 = Self Levelling Air Suspension
- 6500KM = Air suspension with built in compressor
- 6800 = Self Levelling Air Suspension
- 6860 = Self Levelling Air Suspension
- Pro = Integrated Isolator
- 515 = Standard backrest
- 517 = High backrest
- 870 = High backrest with 3-Point seat belt
- 875 = High backrest with shoulder adjustment and 3-Point seat

**ISRI® 6830KA/880**

- **Lumbar Support:** IPS
- **Slide Adjustment:** 230mm
- **Shock Absorber:** Adjustable
- **Seat Belt:** 2 seat belt fixing points
- **Compressor:** Built in 24 Volt
- **Location of controls:** Available in LH controls only.

**ISRI® 6830KM/880**

- **Lumbar Support:** Dual stage air lumbar support
- **Slide Adjustment:** 230mm
- **Shock Absorber:** Adjustable
- **Seat Belt:** 2 seat belt fixing points
- **Compressor:** Built in 24 Volt or optional 12 Volt
- **Location of controls:** Available in LH controls only.

**ISRI® 6500KM/577**

- **Lumbar Support:** Air
- **Slide Adjustment:** 180mm
- **Height Adjustment:** 65mm Mechanical
- **Stack Height:** 240 to 305mm
- **Mounting Hole Centres:** 216 x 280/325

**ISRI® 6500KM/575**

- **Lumbar Support:** Air
- **Slide Adjustment:** 180mm
- **Height Adjustment:** 65mm Mechanical
- **Stack Height:** 240 to 305mm
- **Mounting Hole Centres:** 216 x 280/325

**ISRI® 6500KM/348**

- **Location of controls:** LH
- **Lumbar Support:** Air
- **Slide Adjustment:** 160mm
- **Heater:** 24 Volt
- **Seat Belt:** Lap 2"
- **Height Adjustment:** 100mm Mechanical
- **Stack Height:** 227 to 327mm
- **Mounting Hole Centres:** 280 x 280mm

**ISRI® 6500KM/345**

- **Location of controls:** LH
- **Lumbar Support:** Air
- **Slide Adjustment:** 160mm
- **Heater:** 24 Volt
- **Seat Belt:** Lap 2"
- **Height Adjustment:** 100mm Mechanical
- **Stack Height:** 227 to 327mm
- **Mounting Hole Centres:** 280 x 280mm

**ISRI® 6030/880**

- **Lumbar Support:** Manual
- **Slide Adjustment:** 230mm
- **Shock Absorber:** Adjustable
- **Seat Belt:** 2 seat belt fixing points
- **Manual height and rake adjustment**

**ISRI® 6000/577**

- **Slide Adjustment:** 180mm
- **Height Adjustment:** 65mm Mechanical
- **Stack Height:** 270 to 335mm
- **Mounting Hole Centres:** 216 x 280/325





### ISRI® 6000/348

- **Location of controls:** LH only
- **Lumbar Support:** Mechanical
- **Slide Adjustment:** 160mm
- **Heater:** 24 Volt
- **Seat Belt:** Lap 2"
- **Height Adjustment:** 100mm Mechanical
- **Stack Height:** 232 to 332mm
- **Mounting Hole Centres:** 280 x 280mm



### ISRI® 6000/345

- **Location of controls:** LH only
- **Lumbar Support:** Mechanical
- **Slide Adjustment:** 160mm
- **Heater:** 24 Volt
- **Seat Belt:** Lap 2"
- **Height Adjustment:** 100mm Mechanical
- **Stack Height:** 232 to 332mm
- **Mounting Hole Centres:** 280 x 280mm

- 1000 = Static seat
- 6000 = Mechanical suspension
- 345 = Standard backrest
- 348 = High backrest
- 575 = Standard backrest
- 577 = High backrest
- 880 = High backrest with no seat belt